





IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of:

Attorney Docket No.: 1416.33US01

GUZIK

Application No.:

09/755,424

Filed:

January 5, 2001

Group Art Unit: 3763

For:

FOCUSED BEAM CUTTING OF MATERIALS

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

In response to the Notice to File Corrected Application Papers (copy attached) mailed June 25, 2001, submitted herewith are Ten (10) sheets of substitute drawings.

Respectfully submitted,

Peter S. Dardi, Ph.D. Registration No. 39,650

Customer No. 24113

Patterson, Thuente, Skaar & Christensen, P.A.

4800 IDS Center

80 South 8th Street

Minneapolis, Minnesota 55402-2100

Telephone: (612) 349-5746

Please grant any extension of time necessary for entry; charge any fee due to Deposit Account No. 16-0631.

CERTIFICATE OF MAILING

I hereby certify that this document is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231 on

July 19, 2001

Peter S. Dardi

Date of Deposit





COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE

Washington, D.C. 20231 www.uspto.gov

APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

09/755,424

01/05/2001

Donald S. Guzik

S16.12-0110

CONFIRMATION NO. 4784

FORMALITIES LETTER

OC00000006218607

Peter S. Dardi, Ph.D. WESTMAN CHAMPLIN & KELLY Suite 1600 - International Centre 900 South Second Avenue Minneapolis, MN 55402-3319

Date Mailed: 06/25/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

morrong

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE